

University of Kashmir, Srinagar

Office of the Executive Engineer, Construction Division,

No. F (Allot.) (Sant. Plumb. Boys Host. ZC) (UCD) Ku/22/645-647

Dated: - 19/04/2022

Assistant Executive Engineer,

CIvil,

University of Kashmir,

Srinagar.

Subject: - Sanitary and Plumbing Work for Boys Hostel at Zakura Campus.

Reference: - This Office Tender Notice No: - F(UCD)(E.tend)/KU/103/21 This office letter of Intent No: F(UCD) (LOI San. Plumb.ZC)KU2022-Cons-636-638

DATED: 22/03/22. Dated: 12-04-2022

For and on behalf of the University of Kashmir the contract for the above noted work is hereby allotted in favour of Mohammad Maqbool Bhat S/o Mohammad Sultan Bhat R/o GopalPora Chadoora Budgam holding Contractor Registration No: <u>SE(R&B) SB-B-757of 2017-18</u> bearing PAN: <u>BBMPB2564Q and GSTIN: 01BBMPB2564Q1ZL</u> on the rates shown below: -

Allotted Cost: - Rs.28,92,730/(Rupees Twenty Eight Lacs Ninety Two Thousand Seven Hundred and Thirty Only)

Advertised Cost: Rs.44.94Lacs Time of Completion: - 03-Months

S.no	Description of Item	Quantity	Unit	Allotted rate per unit in Rupees
1.00	Supplying, installing, testing & commissioning to the entire satisfaction of the owner, water closet squatting pan (Indian type W.C. pan) with 100mm UPVC P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device(handle lever) conforming to IS: 7231, 40 mm pipe, flush bend, with all fittings and fixtures complete including cutting and refurbishing the walls, plate form and floors wherever required as per the directions of Engineer-in-charge. All should as per tender specifications. * White Vitreous china Orissa pattern W.C. pan of size 580x440mm with integral type foot rests. (Approved make as directed by EIC)	34.00	EACH	5000.00 Prive Thousand Only
2.00	Wash Basin Counter Supplying and constructing wash basin counters made up of 75mm thick RCC slab with 8mm dia reinforcement bars, centering, shuttering etc complete. the counter to be cladded with 19mm thick granite slab on top of the counter, 100mm granite facia, 150mm high back splash with moulding edge polishing etc. complete as per the directions of Engineer in Charge. The cost shall include all material, labour, lead and lifts etc.	60.00	SQM	4800.00 Four Thousand and Eight Hundred Only
3.00	INTERNAL & EXTERNAL DRAINAGE WORKS uPVC Pipes (inside the Toilet in filling or chased in wall) Supply, installation testing & commissioning of uPVC SWR PIPE of approved make confirming to IS:13592 - 1992, Class-B (for 75 mm to 110mm ND), and IS 4985 - 2000, class-10 kg/sqcm (for 32 mm to 63mm) including fittingsall necessary fittings and specials such as bends, door bends, door tees, cowl piece, junctions offsets, access pieces, jointing with Tee shaped rubber seal ring confirming to IS: 5382-1985 and with PVC Adhesive Solvent, including Cutting, chases/holes in floors / walls / slab.The pipes shall be running over slab (in-filling) in areas such as toilets, Pantry etc. Cost shall be including jamming by pillers, supports of 1:2:4 concrete, as per required slope/Line & level complete as approved by Engineer-in-Charge. All should as per tender			

Head Draftperson

Executive Engineer

	Manhole	40.00	EACH	5000.00 Thousand Only
	Construction of intercepting chambers of 230mm thick brick masonry in 1:3 cement mortar, 150mm thick foundation in 1:3:6 cement concrete, 20mm thick waterproof cement plastering in 1:3 to both internal and external surface finished with floating coat of neat cement, SFRC cover and frame (medium duty, MD-10 grade designation) 560 mm internal diameter conforming to IS:12592, total weight of cover and frame to be not less than 118 kg fixed over 100mm thick RCC coping in 1:2:4 cement concrete with 10mm dia. HYSD bars at 100mm center to center both ways, curing, complete including excavation, backfilling centering shuttering and disposal of surplus earth , as per specifications.			Five Thousand Only
	tender 600 x 600 for depth upto 1.0m Chamber	2.00	EACH	5000.00
14.00	Valve Constructing brick masonary chamber (for housing valves, Meters etc.) of brick work with bricks of class 75 with cement mortar 1:5 (1 cement:5 fine sand) plastering internal face with cement mortar 1:3 (1 cement: 3 fine sand and rough plaster on outer face with a floating coat of neat cement. R.C.C top slab with medium duty D.I. manhole cover and frame of 600 mm dia (weight: 60 KG). Including excavation, dewatering, refilling, watering, ramming and removing the surplus excavated material complete as required. (All sizes are clear	15000.0		Five Thousand Only
15.00	THE WATER STURAGE THE			Ten Only

Head Draftsperson

Note:-

Executive Engineer

8.

Copy to the: -

- Joint Registrar Development/Accounts for information.
 P.S. to Registrar for information of the Registrar.
- 3. 4. Concerned
- Office file



University of Kashmir, Srinagar

Office of the Executive Engineer, Construction Division,

No. F (UCD) (Allot. Bal. work of Storaged RH ZE) (UCD) Ku/22/483-485 Dated: -02/02/2022

Assistant Executive Engineer, Civil, University of Kashmir Srinagar

Subject: - Balance work for 04-Storeyed Research Hostel at Zakura Campus, University of Kashmir.

Reference:-This Office NIT No. F (Fresh)(E.Tend)(Bal. Work Res. Host. ZC) 56/KU2021-CONS DATED: 05/11/21 -This Office Letter of Intent No. F(UCD)(L.O.I Bal. Work 04 SRH)KU2022-CONS Chief Engineer R&B Kashmir letter No.CE/RBK/HD/35072 dated: 01-01-2022. dated 28-01-2022(Opinion of rates).

For and on behalf of the University of Kashmir the contract for the above noted work is hereby allotted in favour of Kh. Mehraj Ud Din Zargar S/O Kh. Gh. Nabi Rajbagh Srinagar holding Contractor 26BLA/SE/PWD/A/1988-89 Registration bearing PAN AAGPZ2447Q & 01 AAGPZ2447Q1Z6 on the rates incorporated in the Rate Structure as per Annexure "A" to GSTIN: this letter of allotment and on the following terms and conditions.

TERMS AND CONDITIONS

- 1. The work should be executed strictly in accordance with the terms and conditions as laid down in the NIT/STANDARD BUILDING DOCUMENT and PWD form 25 Double
- 2. The cost of the work shall not exceed Rs. 3,54,56,219.50/-(Rupees Three Crores Fifty Four Lacs Fifty Six Thousand Two Hundred Nineteen and Fifty Paisa Only)
- 3. The work is to be executed strictly in accordance with the specifications as contained in the "Book of specifications for BUILDING WORKS published by the CPWD /NBO New Delhi (latest Edition) for these types of works.
- 4. Items for which quoted rates are higher than estimated/ DPR rates be restricted to estimated/ DPR rates only till completion of items with quoted rates lower than
- 5. It should be ensured that advertised BOQ should not be exceeded in any case in order to ensure inter-se position of the bidders does not get changed.
- 6. The Assistant Executive Engineer shall strictly ensure completion of all items/quantities for which low rates have been quoted to avoid any unfair advantage to the agency due to non completion of these items if any.
- 7. The above named contractor may be directed to attend the Constrution Division University of Kashmir along with his valid Registration Card for drawl of necessary agreement within three days positively.

office allotment No.	- (UCD) (ALL	ot. Bal.	Work 04 Storeged RHZ/C)
for "Balance work for	04-Storeye	a Boys H	ostel at Zakura Campus. 170
70 0	- 8	lesens	h 483
ender specifications.	10		
Chamber	2.00	EAC	2000.00
	2.00	H	Two Thousand Only
brick masonary (for housing valves,		п	Two mousand omy
etc.) of brick work with	/	/	
of class 75 with cement			
1:5 (1 cement:5 fine sand)			
assering internal face with			
ment mortar 1:3 (1 cement: 3			
ine sand and rough plaster on			
outer face with a floating coat of			
reat cement. R.C.C top slab with			
medium duty D.I. manhole cover			
and frame of 600 mm dia (weight :			
60 KG). Including excavation,			
dewatering, refilling, watering,			
ramming and removing the surplus			
excavated material complete as			
required. (All sizes are clear			
internal sizes).			
Size 600 x 600 x 600 mm deep POLYETHYLENE WATER	46000.00	LTRS	6.50
STORAGE TANKS WITH	40000.00	LING	Six and Fifty Paisa
INSULATION			Only
Supplying, installing, testing &			
commissioning of Polyethylene			
Water Storage Tank, including			
making holes for inlet, outlet,			

POLY STOR INSU Suppl comm Water making overflow, level indicator, drain & vent points and suitable cement concrete base including installation, testing of commissioning thermal insulation over tank with EPS having thermal insulation resistance not less than 0.89 oK.m2/W at 25 deg i-, density 40 kg/ cum as per ASTM C 578, covered with wire mesh and finally covered with 12mm thick cement plaster of 1:3 mix (1 cement:3 sand) including all accessories etc For roof top mounting including CC base over existing slab and

HeadDraftsperson

necessary tapecrete water proofing

33.00

Executive Ergineer



University of Kashmir, Srinagar

Office of the Executive Engineer, Construction Division,

Dated: -18 / 10/2021 No. F (UCD) (Allot. Sanitary & Phenting 04 Storegad (UCD) Ku121/366-368

Assistant Executive Engineer,

Civil,

University of Kashmir,

Srinagar.

Subject: - Sanitary and Plumbing work of 04 Storeyed Residential Quarters at Main Campus.

Reference: - This Office Tender Notice No: - F (E.Tend) (UCD) KU/ 38/21

DATED: -14-09-2021.

For and on behalf of the University of Kashmir the contract for the above noted work is hereby allotted in favour of M/s Samah Constructions Prop. Syed Aasim S/o Syed Mushtaq Bukhari R/o Mini Colony Chanapora Srinagar holding Contractor Registration No:-SE (R&B) SB-B-885 of 2017-18 bearing PAN:-ADPFS3273F and GSTIN: 01ADPFS3273F1Z4 on the rates shown below: -

Allotted Cost: - Rs. 29,94,580.00 (Rupees Twenty Nine Lacs Ninety Four Thousand Five Hundred and Eighty Only) Advertised Cost: Rs.46.63 Lacs

Time of Completion: - 02-Months

10	Description of Item	Quantity	Unit	Allotted rate per unit in Rupees
	Closet	10.00	EACH	4000.00
1.00			-	Four Thousand Only
	Supplying, installing, testing & commissioning to the entire satisfaction of the owner, water closet squatting			
	entire satisfaction of the owner, water closer squatting			
	pan (Indian type W.C. pan) with 100mm UPVC P or S trap , 10 litre low level white P.V.C. flushing cistern,			
	trap , 10 litre low level white 1			
	device(handle lever) conforming to IS: 7231, 40 mm			
	. due band with all tittings and lixiules complete			
	wherever required as per the directions of Engineer-in-			
1	wherever required as per the directions of any			
	charge. * White Vitreous china Orissa pattern W.C. pan of size			
	580x440mm with integral type foot rests. with plateform			
	(155011	7000.00
2.00	Complete inetalling testing & commissioning to the	20.00	EACH	Seven Thousand Only
2.00	antine actiofaction of the owner while villeous chills wan			Seven mousand omy
	ted water closet (European type VV.C. Dall) Will			
	1 1 1:4 10 litro low level virreous clinia husining			
	the dual fluck conforming to 10.1410 with pro			
	lloto including cliffing ally leturbishing the			
•	I I fleare whorever remilled as hel tile directions	1		
	Engineer-in-charge.	1		
	* W.C. pan with ISI marked white solid plastic seat and			
	lid. (approved brand)	30.00	EACH	3000.00
3.00	Supplying, installing, testing & commissioning of CP			Three Thousand Only
	Brass two way bib cock with wall flange & Health Faucet / jet spray with plastic flexible pipe 8 mm dia, 1			
	m long, wall hooked complete as required, including			
	necessary Accessories, complete in all respect as per			
	1	1		4000.00
4.00	to the state of th	30.00	EACH	Four Thousand Only
4.00	The state of the s		-	Pour mousand omy
	necessary Accessories , installation charges and			
	complete in full respect as per the directions			k
	Engineer-in-charge. (approved brand)	10.0	0 EACH	5500.00
5.00	Total:		L	Five Thousand and Five
	I coinclude stop sink will uldi	'		Hundred Only
	board, C.I. brackets duly painted white, 40mm C.P.	<u> </u>		1
	- A			h Consign A
	MM /			Executive Engineer
	lead Draftperson			M Executive Hugineon

		· · · · · · · · · · · · · · · · · · ·		
36.00	MISCELLANEOUS WORKS			
		0.00	EACH	3500.00
00.04	Providing and fixing Digital level indicator com controller	2.00	EACH	Three Thousand and Three
1	with level sensor work on hydrostatio	~		Hundred Only
	asmolete in all respect.		LTRS	12.00
	POLYETHYLENE WATER STORAGE TANKS WITH	10000.00	LIKO	Twelve only
				Twelve om
		-		1
	Supplying, installing, testing & common making Polyethylene Water Storage Tank, including making Polyethylene Water Level indicator, drain &			
	Polyethylene Water Storage Falls, indicator, drain & holes for inlet, outlet, overflow, level indicator, drain & holes for inlet, outlet, overflow, level indicator, drain & holes for inlet, overflow, level in the holes for inlet, overflow, level in t			
	holes for inlet, outlet, overnow, level industry went points and suitable cement concrete base including vent points are suitable cement concrete base including vent points and suitable cement concr			
	vent points and suitable certific conditions and suitable certific certi			
	not less than 0.89 ok. m2/w at 25 decimal of the country as per ASTM C 578, covered with wire mesh and cum as per ASTM C 578, covered with wire me			
	finally covered with 12mm thick cement plaster of 1:3		100	
	For roof top mounting including CC base over existing including CC base over existing works,			
	tank nipples , shutoff valves and float switch	2.00	NO.	15000.00 Fifteen Thousand Only
36.03	PUMPS Supply, installation, testing and commissioning of water		1	Fifteen Mousand Omy
	Supply, installation, testing and commissions of the following (from item supply pump set comprising of the following (from item supply pump set comprising of the following (from item)	N	-	1 -
	supply pump set comprising of the tolerand in a to d): All should as per tender specifications .			
	no. a to d): All should as per letter by suitable for a) Horizontal mono-block centrifugal pump, suitable for a) Horizontal mono-block centrifugal pump, suitable for a) Horizontal phase 50 HZ A.C supply.			
	a) Horizontal mono-block Centinuary partial pa			
	b) The pump shall be suitable for indoor application and		- 1	
	its casing shall be CI, shall shall be bronze.			
	sleeve / casing wearing mig once pressure			
	The system shall be complete with necessary programs and gauge with gun metal shut off cock on delivery side.			
	gauge with gun metal shut oil cock of the same of the			
	on 415 V, 1 phase 50 HZ AC supply to the speed mentioned as per manufacturer with speed mentioned as per manufacturer with plaster,			
	d) Suitable cement concrete foundation (design and drawing to be provided by the Contractor (design and drawing to be provided by others) complete			
	(design and drawing to be provided by the somplete while the foundation will be done by others) complete while the foundation will be done by others) complete.			
	while the foundation will be duffe by different with Antivibration arrangement of cushy foot mounting. and making MS motor pump cover of required size and making MS motor pump cover of required by EIC.			
	and making MS motor parity solver by EIC.			
	complete as directed (1W+1S)			
	- I			
	Flow : 160 LPN			7
	이 그를 살아보고 있다면 살아보다는 경우가 있는데 모든 그들이 되었다. 그 경우에 들어 보는 생각이 되었다. 그 살아들이 살아보는 것이 없는데 되었다. 그 것이 없는데 그렇게 되었다.	1 2	00 NO.	2500.00
36.0	allocation states and control			Two Thousand and Five
	Suitable rating common electrical states and panel (MCC panel) for above mentioned pumps along panel (MCC panel) for above mentioned pumps along parting control wiring	a l	1 0	Hundred Only
	panel (MCC panel) for above mentioned with necessary rating coaling, earthing control wiring with necessary rating pagessary ancillaries such a	s		
	etc with proper dressing, necessary			
	cable tray ,cable tray stand etc.			

Head Draftsperson

Note:-

Executive Engineer

4.

8.

Copy to the: -

- Joint Registrar Development/Accounts for information. P.S. to Registrar for information of the Registrar.
- Concerned
- Office file